

IMPROVING EMERGENCY ASPIRATION THROMBECTOMY FOR ACUTE ISCHEMIC STROKE USING DIFFERENT GUIDE CATHETER AND ASPIRATION SYSTEMS

Asilbek Khursand ogli Mukhsumov

Bekhruz Bakhodirovich Barotov

Interventional Cardiologist

Abstract

Acute ischemic stroke is a major cause of mortality and long-term disability worldwide. Rapid restoration of cerebral blood flow is essential for reducing brain tissue damage and improving neurological outcomes. Mechanical thrombectomy has become a fundamental treatment for selected patients with acute ischemic stroke caused by large-vessel occlusion. Among endovascular techniques, aspiration thrombectomy offers an effective approach to removing thrombi using specialized aspiration catheters and vacuum-based systems. However, procedural success depends on several factors, including catheter design, guide catheter support, vascular anatomy, clot characteristics, and the coordination of aspiration devices. This article examines approaches to improving emergency aspiration thrombectomy through the appropriate selection and application of different guide catheter and aspiration systems. Particular attention is given to catheter navigation, aspiration efficiency, procedural safety, and the prevention of complications. The importance of rapid patient assessment, imaging-based treatment selection, and standardized procedural protocols is also discussed. Individualized device selection and effective coordination between stroke specialists and interventional teams may contribute to more efficient recanalization and improved patient outcomes. Further comparative clinical research is necessary to establish the optimal combination of aspiration and guide catheter systems for different clinical and anatomical conditions.

Keywords: acute ischemic stroke, aspiration thrombectomy, mechanical thrombectomy, guide catheter, aspiration catheter, endovascular treatment, large-vessel occlusion, cerebral reperfusion.

Introduction

Acute ischemic stroke occurs when blood flow to a region of the brain is obstructed, most commonly by a blood clot. The resulting interruption of oxygen and nutrient delivery can cause irreversible neuronal injury, making early diagnosis and treatment essential. Stroke management therefore emphasizes rapid identification of eligible patients and timely restoration of cerebral circulation.

Mechanical thrombectomy has substantially improved the treatment of selected patients with acute ischemic stroke caused by large-vessel occlusion. The procedure involves advancing endovascular devices through the arterial system to the site of obstruction and removing the thrombus to restore blood flow. Aspiration thrombectomy is one of the principal techniques used for this purpose. It employs a large-bore aspiration catheter connected to a vacuum source, enabling the operator to engage and extract the clot.

Despite advances in endovascular technology, successful thrombectomy remains technically demanding. Cerebral vascular anatomy varies considerably between patients, while thrombi differ in size, composition, firmness, and adherence to the vessel wall. These characteristics can influence catheter navigation, clot engagement, aspiration efficiency, and the likelihood of achieving successful reperfusion.

Guide catheters and aspiration systems play complementary roles during the procedure. The guide catheter provides access and support for the delivery of devices, whereas the aspiration catheter is advanced toward the occlusion to facilitate thrombus removal. Insufficient support may hinder navigation, while inadequate catheter positioning or poor clot engagement may reduce aspiration effectiveness. Consequently, selecting compatible devices and adapting the procedure to individual anatomical and clinical circumstances are important considerations.

The purpose of this article is to examine strategies for improving emergency aspiration thrombectomy in acute ischemic stroke through the appropriate use of different guide catheter and aspiration systems, with particular emphasis on procedural efficiency, safety, and the achievement of effective cerebral reperfusion.

Improving Aspiration Thrombectomy Techniques

The effectiveness of aspiration thrombectomy depends on the interaction between catheter characteristics, aspiration pressure, vascular anatomy, and thrombus properties. An appropriate aspiration catheter should provide sufficient internal diameter for effective clot engagement while maintaining flexibility for navigation through tortuous vessels. Larger-bore catheters may facilitate aspiration of substantial thrombi; however, their use must be balanced against vessel dimensions, anatomical accessibility, and procedural safety.

Guide catheter selection is equally important. Adequate support helps maintain stable access and facilitates the advancement of aspiration devices. Balloon guide catheters may provide additional flow-control options in selected procedures, although their suitability depends on the individual case and the operator's strategy. The choice of access route and guide system should account for the patient's vascular anatomy and the need to minimize delays.

Before thrombectomy, clinicians should evaluate brain imaging and vascular imaging to confirm the diagnosis, identify the occlusion site, assess the extent of established ischemic injury, and determine treatment eligibility. Treatment decisions must follow current stroke guidelines and should not be delayed by unnecessary investigations.

During aspiration, careful catheter positioning and stable contact with the thrombus are essential. The operator should apply the device according to the manufacturer's instructions and established procedural protocols. Continuous assessment of catheter position, aspiration performance, and blood flow helps determine whether further intervention is required. If the initial attempt is unsuccessful, the team may consider an alternative catheter, a different aspiration strategy, or a combined technique, depending on the anatomical and clinical circumstances.

Procedural Safety and Clinical Outcomes

Improving procedural efficiency must not compromise patient safety. Potential complications include vessel injury, arterial dissection, perforation, vasospasm, embolization into new vascular territories, and intracranial hemorrhage. Appropriate

device selection, careful manipulation, and continuous imaging guidance are essential for reducing procedural risks.

Clinical outcomes should be assessed using standardized measures. These may include successful reperfusion, procedure duration, the number of thrombectomy passes, complications, and functional outcomes at follow-up. The modified Thrombolysis in Cerebral Infarction (mTICI) scale is commonly used to evaluate the degree of reperfusion following endovascular treatment. Functional recovery is frequently assessed using the modified Rankin Scale.

Comparisons between aspiration systems should account for baseline stroke severity, occlusion location, clot characteristics, time from symptom onset to treatment, and operator experience. Without appropriate adjustment for these factors, differences in outcomes cannot reliably be attributed to a particular device.

Conclusion

Emergency aspiration thrombectomy is an important endovascular treatment for selected patients with acute ischemic stroke caused by large-vessel occlusion. Its effectiveness depends on rapid patient selection, appropriate imaging.

REFERENCES

- 1.Хайдарова К. А. ХИМИЧЕСКАЯ ПРОМЫШЛЕННОСТЬ РЕСПУБЛИКИ УЗБЕКИСТАН И ПРОБЛЕМЫ СДЕРЖИВАЮЩИЕ РАЗВИТИЯ ДАННОЙ ОТРАСЛИ //Интернаука. – 2017. – №. 6-2. – С. 5-6.
- 2,Kakhramonovna K. F. T. K. N. et al. Marketing research management in the digital economy //Confrencea. – 2025. – Т. 6. – №. 6.
- 3.Хайдарова К. А., Bakhtiyorova M. B. Digital economy in enterprises II //Экономика и социум. – 2022. – №. 11-1 (102). – С. 348-351.
- 4.Хайдарова К., Khaydarova K. Differensiyalangan Marketing Strategiyasining Mohiyati Va Uning Samaradorligi //Advanced Economics and Pedagogical Technologies. – 2025. – Т. 2. – №. 3. – С. 49-54.
- 5.Хайдарова К. А. СОВЕРШЕНСТВОВАНИЕ МЕТОДИКИ ПРОВЕДЕНИЯ МАРКЕТИНГОВЫХ ИССЛЕДОВАНИЙ В ХИМИЧЕСКОЙ ОТРАСЛИ //Science and innovation. – 2024. – Т. 3. – №. Special Issue. – С. 191-192.



6.Хайдарова К. А., Инатова Н. А. ПЕРСПЕКТИВЫ ВНЕДРЕНИЯ СИСТЕМЫ
НАССР НА ПРЕДПРИЯТИЯХ ПИЩЕВОЙ ПРОМЫШЛЕННОСТИ
//Интернаука. – 2018. – №. 19-2. – С. 27-28.